



KEVO ONE (3PHASE) CENTRAL VACUUM POWER UNIT



TECHNICAL DATA :

Model	KEVO ONE
Voltage	400-440V/3PH/50Hz
Current	7.2A
Body	EPOXY Finish Mild Steel
Rated Power	3.0kW
Max AirFlow	310CMH
Max Vacuum	300mbar
Sound Level	72dBA
Bin Capacity	30LT
Dimensions	48cm x45cm x 145cm
Clear Space Area	100cm x 150cm x 180cm
Primary Filter	EU6 Cartridge Polyester
Filter Area	6400cm ² (99% @ 3micron)
Inlet	50mm diameter
Weight	62kg
Variation	Modular Type / Space Saving / Colour Selection available upon order

**ULTRAPOWER LARGE CAPACITY HIGHSUCTION
BIGGER HOMES LONGEST LIFE 24/7/365 NONSTOP 30M/S SPEED**



Sample Installation with stand

Various customisation based on customer's requirements and site conditions



LINDEN BUCKS SDN BHD
CENTRAL VACUUM SPECIALIST
cvs@lindenbucks.com




KEVO TWO (2 USERS) CENTRAL VACUUM POWER UNIT



TECHNICAL DATA :

Model	KEVO TWO
Voltage	400-440V/3PH/50Hz
Current	12 A
Body	EPOXY Finish Mild Steel
Rated Power	5.5kW
Max AirFlow	654CMH
Max Vacuum	320mbar
Sound Level	76dBA
Bin Capacity	40LT
Dimensions	52cm x 69cm x 160cm
Clear Space Area	120cm x 150cm x 210cm
Primary Filter	EU6 Cartridge Polyester
Filter Area	12,000cm ² (99% @ 3micron)
Inlet	65mm diameter
Weight	120kg
Variation	Modular Type / Space Saving / Colour Selection available upon order

2USER ULTRAPOWER LARGE CAPACITY HIGHSUCTION
BIGGER HOMES LONGEST LIFE 24/7/365 NONSTOP 30M/S SPEED



LINDEN BUCKS SDN BHD
 CENTRAL VACUUM SPECIALIST
cvs@lindenbucks.com





KEVO M100 - MIGHTY CENTRAL VACUUM POWER UNIT



TECHNICAL DATA :

Model	KEVO M100
Voltage	220-240V (1phase)
Current	5.7A
Body	ABS Plastic
Rated Power	1800W
Max AirFlow	260CMH
Max Vacuum	298mbar
Sound Level	68dBA
Bin Capacity	30LT
Dimensions	44cm x 41cm x 86.5cm
Primary Filter	Disposable Bags
Secondary	HEPA Filter
	99.99% @ 0.3micron
Inlet	50mm diameter
Weight	9.5kg

POWERFUL LARGE BIN CAPACITY STRONG SUCTION
QUIET LONG LIFESPAN 2 STEP FILTER 25M/S SPEED



LINDEN BUCKS SDN BHD
CENTRAL VACUUM SPECIALIST
cvs@lindenbucks.com



KEVO M200 – MIGHTY D


CENTRAL VACUUM POWER UNIT



TECHNICAL DATA :

Model	KEVO M200
Voltage	220-240V (1phase)
Current	12A
Body	Mild Steel / Stainless Steel
Rated Power	1450W x 2
Max AirFlow	450CMH
Max Vacuum	310mbar
Sound Level	75dBA
Bin Capacity	30LT
Dimensions	55cm x 55cm x 128cm
Primary Filter	CYCLONE
Secondary	HEPA Filter
	99.99% @ 0.3micron
Inlet	50mm diameter
Weight	16kg

EXTRAPOWERFUL LARGE BIN CAPACITY STRONG SUCTION
2 USER LONG LIFESPAN COMMERCIAL CLEANING COVERAGE



Sample Installation with stand



LINDEN BUCKS SDN BHD
 CENTRAL VACUUM SPECIALIST
cvs@lindenbucks.com




KEVO BLACK - COMPACT CENTRAL VACUUM POWER UNIT



TECHNICAL DATA :

Model	KEVO BLACK
Voltage	220-240V (1phase)
Current	5.7A
Body	ABS PLASTIC
Rated Power	1500W
Max AirFlow	220CMH
Max Vacuum	280mbar
Sound Level	66dBA
Bin Capacity	17LT
Dimensions	30cm x30cm x 56cm
Primary Filter	Disposable Bags
Secondary	FOAM Filter
Inlet	40mm diameter
Weight	5.3kg

**REMOTE COMPACT EASYTOHIDE POWER
QUIET SIMPLYEYETEASY**



LINDEN BUCKS SDN BHD
CENTRAL VACUUM SPECIALIST
cvs@lindenbucks.com